HEARING RESEARCH

CONTENTS

Vol. 104, Nos. 1–2
• February 1997

Cited in: Biological Abstracts (BIOSIS); Chemical Abstracts; Current Contents/Life Sciences; Current Awareness in Biological Sciences (CABS); Excerpta Medica (EMBASE); Index Medicus; INSPEC; PASCAL M; Reference Update

Research Papers

K. Hirose, D.M. Hockenbery and E.W Rubel (USA)
Reactive oxygen species in chick hair cells after gentamicin exposure in vitro 1

R.K. Duncan and J.W. Grant (USA)
A finite-element model of inner ear hair bundle micromechanics 15

Y.S. Sininger, C. Abdala and B. Cone-Wesson (USA)
Auditory threshold sensitivity of the human neonate as measured by the auditory brainstem response 27

S. Dagli and B. Canlon (Sweden)
The effect of repeated daily noise exposure on sound-conditioned and unconditioned guinea pigs 39

E.R. Yoho, G.N. Thomopoulos, I. Thalmann, R. Thalmann and B.A. Schulte (USA)
Localization of organ of Corti protein II in the adult and developing gerbil cochlea 47

M. Brown, W.R. Webster and R.L. Martin (Australia)
The three-dimensional frequency organization of the inferior colliculus of the cat: a 2-deoxyglucose study 57

M. Brown, W.R. Webster and R.L. Martin (Australia)
Intensity and frequency functions of [^{14}C]2-deoxyglucose labelling in the central nucleus of the inferior colliculus in the cat 73

M.D. McGinn and B.T. Faddis (USA)
Kangaroo rats exhibit spongiform degeneration of the central auditory system similar to that found in gerbils 90

J.C. Adams and B.A. Schulte (USA)
Histopathologic observations of the aging gerbil cochlea 101

J.B. Kelly and L. Li (Canada)
Two sources of inhibition affecting binaural evoked responses in the rat's inferior colliculus: the dorsal nucleus of the lateral lemniscus and the superior olivary complex 112

D.M. Williams and A.M. Brown (UK)
The effect of contralateral broad-band noise on acoustic distortion products from the human ear 127

M. Saitoh, H. Ueda and N. Yanagita (Japan)
Changes in cochlear function after double-membrane rupture in the guinea pig 147

T. Sickmann, K. Kalmring and A. Müller (Germany)
The auditory–vibratory system of the bushcricket *Polysarcus denticauda* (Phaneropterinae, Tettigoniidae) I. Morphology of the complex tibial organs 155

K.R. Henry (USA)
Auditory nerve neurophonic tuning curves produced by masking of round window responses 167

Å. Flock and J.M. Jørgensen (Sweden, Denmark)
Synaptic body movements in the sensory cells of lateral line organs in the urodele amphibian *Ambystoma mexicanum* 177

Contents continued on inside back cover

0378-5955(199702)104:1/2;1-Q

(Contents continued from back cover)

J.-P. Vasama and J.P. Mäkelä (Finland)
Auditory cortical responses in humans with profound unilateral sensorineural hearing loss from early childhood 183

X.-Y. Zheng, D. Henderson, S.L. McFadden and B.-H. Hu (USA)
The role of the cochlear efferent system in acquired resistance to noise-induced hearing loss 191

Calendar of events 204

Author Index Volume 104 207

Subject Index Volume 104 209

The table of contents of *Hearing Research* is included in ESTOC – Elsevier Science Tables of Contents service – which can be accessed on the World Wide Web at the following URL addresses:
http://www.elsevier.nl/locate/estoc or http://www.elsevier.com/locate/estoc

A CUMULATIVE INDEX for *Hearing Research*, Volumes 1 through to the current volume is available upon an IBM-formatted 5.25 inch floppy disc (ASCII) **free of charge**. Please send $10.00 (to cover postage and handling) by personal check or money order payable to: Cleat Szczepaniak, Hearing Research, P.O. Box 99187, Pittsburgh, PA 15233-4187, USA. The index is also available on the Internet: gopher://spib.rice.edu:70/11/SPIB/bibliography/hr

For a full and complete Instructions to Authors, please refer to Hearing Research, Vol. 103, Nos. 1-2, pp. 229–231. The instructions can also be found on the World Wide Web: access under http://www.elsevier.nl or http://www.elsevier.com